

## Historic, archived document

Do not assume content reflects current  
scientific knowledge, policies, or practices.







UNITED STATES DEPARTMENT OF AGRICULTURE  
Bureau of Agricultural Economics  
Tobacco Section.

SUMMARY BY GROUPS OF GRADES  
OF  
TOBACCO STOCKS: REPORTS  
1930.

LEAF TOBACCO HELD BY MANUFACTURERS AND DEALERS  
JANUARY 1, APRIL 1, JULY 1, AND OCTOBER 1.

Washington, D. C.  
December 1, 1930.



EXPLANATION OF GROUP SYMBOLS.

GROUPS OF TYPES 11,12,13 and 14:

A-Wrappers  
B-Heavy Leaf, Cutting Leaf, and Fillers.  
C-Thin Leaf or Cutters.  
X-Lugs and Ground Leaves.  
S-Scrap, as defined.\*  
N-Nondescript, as defined.\*

GROUPS OF TYPES 21,22,23 and 24:

A-Wrappers.  
B-Heavy Leaf.  
C-Thin Leaf.  
X-Lugs.  
S-Scrap, as defined.\*  
N-Nondescript, as defined.\*

GROUPS OF TYPE 31:

A-Wrappers.  
B-Leaf or Fillers and Tips  
C-Lugs or Cutters.  
X-Trash, Flyings, and Spods.  
S-Scrap, as defined.\*  
N-Nondescript, as defined.\*

11

Crop.

X-Seconds and Ground Leaves.  
S -Scrap, as defined.\*  
N-Nondescript, as defined.\*

GROUPS OF TYPES 35,36, AND 37:

A-Wrappers.  
B-Heavy Leaf.  
C-Thin Leaf.  
X-Lugs.  
S-Scrap, as defined.\*  
N-Nondescript, as defined.\*

GROUPS OF TYPE 41:

B-Binders or Tops.  
C-Fillers, locally known as Wrappers or B's.  
X-Stemming, Farm Fillers, Ground Leaves, and crops unsuitable for sorting.  
S-Scrap, as defined.\*  
N-Nondescript, as defined.\*

GROUPS OF TYPES 42,43 AND 44:

C-Fillers, locally known as Wrappers.  
X-Stemming, Farm Fillers, Ground Leaves, and crops unsuitable for sorting.  
S-Scrap, as defined.\*  
N-Nondescript, as defined.\*

GROUPS OF TYPE 45:

C-Fillers.  
X-Stemming, Ground Leaves, and crops unsuitable for sorting.  
S-Scrap, as defined.\*  
N-Nondescript, as defined.\*

GROUPS OF TYPE 46:

C-Tripas or Fillers.  
X-Resagos, Terceros, Boliches, and crops unsuitable for sorting.  
S-Scrap (Picadura), as defined.\*  
N-Nondescript, as defined.\*

GROUPS OF TYPES 51,52, AND 53:

A-Wrappers.  
B-Binders, locally known as Seconds.  
C-Fillers, locally known as Tips or B's.  
X-Stemming, Sand-Leaf Fillers, Ground Leaves, and crops unsuitable for sorting.  
S-Scrap, as defined.\*  
N-Nondescript, as defined.\*

GROUPS OF TYPES 54 and 55:

B-Binders.  
C-Fillers, locally known as Tips or B's.  
X-Stemming, Sand-Leaf Fillers, Bottom Leaves, and crops unsuitable for sorting.  
S-Scrap, as defined.\*  
N-Nondescript, as defined.\*

GROUPS OF TYPES 61 AND 62:

A-Wrappers.  
B-Binders.  
C-Fillers, or Tips.  
X-Trashy Fillers or Loose Leaves.  
S-Scrap, as defined.\*  
N-Nondescript, as defined.\*

\* For definitions of Scrap and Nondescript see Service and Regulatory Announcement No. 118, a copy of which will be sent upon request.

TOBACCO STOCKS.  
SUMMARY REPORT BY GROUPS OF GRADES.  
FOR YEAR OF 1930.

U. S. TYPE 11.-OLD BELT FLUE-CURED VIRGINIA AND NORTH CAROLINA.

	: Group	: Group	: Group	: Group	: Group	: Group	: Type
1930	: A	: B	: C	: X	: S	: N	: Total
	:1000 lbs.	: 1000 lbs.	: 1000 lbs.	: 1000 lbs.	: 1000 lbs.	: 1000 lbs.	
Jan.	: 8,897	: 88,676	: 125,423	: 116,115	: 6,158	: 319	: 345,589
Apr.	: 10,412	: 85,915	: 112,617	: 111,382	: 5,728	: 222	: 326,274
July	: 8,195	: 70,895	: 98,193	: 96,617	: 5,582	: 203	: 279,685
Oct.	: 7,324	: 57,426	: 86,032	: 83,037	: 4,438	: 196	: 238,453

U. S. TYPE 12.-EASTERN NORTH CAROLINA FLUE-CURED.

Jan.	: 1,825	: 42,559	: 106,720	: 97,696	: 5,445	: 457	: 254,703
Apr.	: 1,724	: 28,372	: 105,630	: 73,244	: 3,861	: 159	: 212,990
July	: 234	: 22,620	: 79,248	: 69,029	: 2,697	: 153	: 173,980
Oct.	: 118	: 34,730	: 80,833	: 79,173	: 1,686	: 466	: 197,006

U. S. TYPE 13.- SOUTH CAROLINA FLUE-CURED (INCLUDING SOUTHEASTERN N.C)

Jan.	: 468	: 24,351	: 32,733	: 54,582	: 1,565	: 137	: 113,836
Apr.	: 549	: 17,974	: 32,757	: 39,894	: 1,636	: 114	: 92,924
July	: 518	: 15,355	: 26,105	: 38,420	: 1,074	: 121	: 80,592
Oct.	: 717	: 29,627	: 43,066	: 65,386	: 1,711	: 128	: 140,635

U. S. TYPE 14.-GEORGIA AND FLORIDA FLUE-CURED.

Jan.	: 1,175	: 18,373	: 40,905	: 20,085	: 529	: 290	: 81,357
Apr.	: 753	: 16,365	: 40,737	: 16,652	: 365	: 90	: 74,961
July	: 737	: 14,470	: 33,542	: 14,965	: 226	: 64	: 64,004
Oct.	: 735	: 24,520	: 54,424	: 31,104	: 804	: 87	: 111,675

(Figures rounded to nearest thousand pounds)

U. S. TYPE 21.-VIRGINIA FIRE-CURED.

1930	Group A	Group B	Group C	Group X	Group S	Group N	Type
	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.	Total
Jan.	1,411	11,317	2,873	19,226	169	2	34,997
Apr.	2,581	14,271	3,229	19,686	251	3	40,021
July	2,724	12,701	2,331	17,613	250	5	35,625
Oct.	1,058	9,322	1,309	15,918	265	44	27,917

U. S. TYPE 22.-TENNESSEE AND KENTUCKY FIRE-CURED (EASTERN DISTRICT C.H.&S)

Jan.	3,369	56,697	4,697	12,848	525	1,248	79,384
Apr.	4,091	84,058	13,011	22,377	564	1,071	125,173
July	4,310	81,991	13,941	19,737	861	1,115	121,954
Oct.		5,315	7,891	9,672	819	485	87,569

.-KENTUCKY AND TENNESSEE FIRE-CURED (WESTERN DISTRICT M. & P)

Jan.	576	16,694	5,983	3,947	193	83	27,475
Apr.	429	20,864	7,393	3,943	196	125	33,450
July	394	17,998	3,911	2,298	243	56	24,901
Oct.	343	16,406	1,497	849	334	37	19,467

U. S. TYPE 24.-HENDERSON STEMMING OR NORTHERN FIRE-CURED.

Jan.	165	1,426	305	726	47	125	2,793
Apr.	409	2,078	260	2,231	102	10	5,089
July	213	779	116	1,081	91	10	2,291
Oct.	35	152	6	445	90	8	736

(Figures rounded to nearest thousand pounds.)





U. S. TYPE 41.-PENNSYLVANIA SEEDLEAF.

1930	Group A	Group B	Group C	Group X	Group S	Group N	Type
	1000 lbs	1000 lbs	1000 lbs	1000 lbs	1000 lbs	1000 lbs	Total
Jan.		2,839	58,953	11,013	351	30	73,185
Apr.		1,399	71,735	20,303	355	3	93,795
July		2,743	68,925	18,338	278	3	90,292
Oct.		4,177	62,516	12,667	231	1	79,592

U. S. TYPE 42.-GEBHARDT, MIAMI VALLEY.

Jan.		10,796	1,355	117	-	12,267
Apr.		12,647	2,161	138	-	14,947
July		12,813	1,746	27	3	14,589
Oct.		11,025	1,311	26	34	12,395

U. S. TYPE 43.- ZILGER, MIAMI VALLEY.

Jan.		12,869	3,213	56	4	16,141
Apr.		16,314	3,552	78	22	19,966
July		16,642	3,554	102	1	20,300
Oct.		14,817	2,882	59	8	17,766

U. S. TYPE 44,-DUTCH, MIAMI VALLEY.

Jan.		5,574	369	51	X	6,094
Apr.		5,332	1,102	101	1	6,536
July		6,342	992	59	X	7,393
Oct.		5,305	923	37	X	6,266

U. S. TYPE 45.-GEORGIA AND FLORIDA SUN-GROWN.

Jan.		1,497	37	1	3	1,538
Apr.		1,294	16	6	2	1,318
July		1,308	22	10	2	1,340
Oct.		2,295	2	45	3	2,345

U. S. TYPE 46.-PORTO RICAN SUN-GROWN.

Jan.		21,283	5,940	1,786	32	29,040
Apr.		20,296	6,225	1,890	23	28,442
July		17,988	5,096	1,615	34	24,734
Oct.		17,006	4,877	1,580	47	23,510

(Figures rounded to nearest thousand pounds.)

X- Indicates less than 500 lbs. - Indicates None.

U. S. TYPE 51.--CONNECTICUT VALLEY BROADLEAF.

1930	Group A	Group B	Group C	Group X	Group S	Group N	Type
	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.	Total
Jan.	2,238	18,163	857	8,018	194	37	29,507
Apr.	2,158	18,331	1,198	8,293	80	11	30,072
July	3,100	17,465	1,274	7,016	105	1	28,960
Oct.	2,464	15,536	768	5,916	116	10	24,809

U. S. TYPE 52.--CONNECTICUT VALLEY HAVANA SEED.

Jan.	2,892	20,989	708	8,839	60	X	33,488
Apr.	2,590	28,869	2,605	9,364	38	2	43,469
July	2,324	23,871	1,716	7,794	27	X	35,732
Oct.	2,808	21,483	1,449	7,141	18	-	32,933

U. S. TYPE 53.--NEW YORK AND PENNSYLVANIA HAVANA SEED.

Jan.	25	470	330	1,534	35	-	2,393
Apr.	62	711	337	1,695	5	-	2,810
July	73	651	177	1,624	9	-	2,477
Oct.	70	394	217	1,473	12	-	2,156

U. S. TYPE 54.--SOUTHERN WISCONSIN.

Jan.		8,687	1,788	32,809	25	-	43,308
Apr.		10,263	3,439	46,534	49	-	60,240
July		9,663	4,024	44,023	55	-	57,770
Oct.		9,507	3,695	37,879	62	-	51,043

U. S. TYPE 55.--NORTHERN WISCONSIN.

Jan.		12,819	648	15,457	355	22	29,301
Apr.		18,474	1,857	20,581	161	7	41,080
July		17,903	2,369	18,892	50	34	39,253
Oct.		15,775	2,253	16,026	61	16	34,131

(Figures rounded to nearest thousand pounds..)

X - Indicates less than 500 pounds. - Indicates None.

U. S. TYPE 61.-CONNECTICUT VALLEY SHADE.

	Group	Group	Group	Group	Group	Group	
1930	A	B	C	X	S	N	Ty
	:1000 lbs.	: 1000 lbs.	: 1000 lbs.	: 1000 lbs.	: 1000 lbs.	:1000 lbs.	: Tons
Jan.	7,228	2,727	1,140	48	121	63	11,327
Apr.	7,077	2,218	997	79	125	5	10,492
July	6,810	2,100	1,156	33	109	X	10,217
Oct.	6,641	2,251	1,132	30	106	2	10,162

U. S. TYPE 62.-GEORGIA AND FLORIDA SHADE.

Jan.	4,262	577	157	30	13	13	5,048
Apr.	4,252	581	193	34	3	6	4,950
July	3,857	512	62	29	1	-	3,968
Oct.	3,711	560	120	57	31	8	5,921

U. S. TYPE 80.	U. S. TYPE 80.	U. S. TYPE 90.
FOREIGN-GROWN CIGAR LEAF.	FOREIGN-GROWN CIGAR LEAF.	FOREIGN-GROWN OTHER THAN CIGAR LEAF.
TOTALS.	TOTALS.	TOTALS.
Jan.: 1,939	13,318	72,640
Apr.: 4,106	15,125	79,003
July: 2,932	5,628	74,025
Oct.: 2,918	14,520	61,993

(Figures rounded to nearest thousand pounds.)

X - Indicates less than 500 pounds. - Indicates None.





